

*Cub Cadet*®

WE JUST GOT

**BETTER**




# FOR THOSE WHO WANT MORE ER.

We believe in making one simple promise: to build it better. And as a leader in premium outdoor power equipment, we deliver on that promise each and every day. When you buy Cub Cadet® outdoor power equipment, you know that you are buying equipment that is built tougher, built smarter, built better.

## YOU CAN'T GET ANY BETTER™.

### MAKE IT TOUGHER

**CAST-IRON TRANSMISSION**  
Provides greater durability, longer life and cooler running temperatures. 2500/3000



### MAKE IT SMARTER

**INTELLIGENT DESIGN**  
All the details that add to durability, including cast-iron pivoting front axles, heavy-duty transmissions, automotive-style wheel hubs and tapered roller bearings. 1000/1500/2500/3000/i1000



**SHAFT DRIVE** An exclusive to Cub Cadet® lawn tractors. Brings power directly from the engine to the transmission. 2500/3000

**QUICKATTACH™ DECK**  
Manually mount or detach the mowing deck in minutes without tools. 1000/1500/2500/3000/i1000/RZT/Z-FORCE®

### MAKE IT SIMPLER



**CYCLOCUT™ + 5 MOWING TECHNOLOGY**  
Delivers a perfect cut with 3-in-1 blades, large blade overlap, four deck wheels, deck wash and thick heat-treated blades. 1000/1500/2500/3000/i1000/RZT/Z-FORCE®

**DECK WASH** Attach your hose directly to the deck to wash away clippings and prolong deck life. 1000/1500/2500/i1000RZT/Z-FORCE®



### MAKE IT FASTER

## Time Saver SERIES

As a leader in outdoor equipment, we've built our reputation on making the most innovative products in our field. And now, with our Cub Cadet® Time Saver Series™ products, we've taken our innovative heritage to the next level. Featuring the most advanced technology, Cub Cadet® Time Saver Series™ products get the job done right - faster than ever. Drastically cutting your weekend work time so you can spend more time enjoying what you've worked so hard to create. i1000



**DUAL TRANSMISSION** Provides independent control of rear wheels for tighter turns. i1000

*Italicised numbers indicate series on which features are available. \*See your Cub Cadet® Dealer for details.*



# Cub Cadet®

**HEAVY-DUTY STEEL FRAME** Fully welded, it adds strength and durability to our tractors. 1000/1500/2500/3000/i1000/RZT/Z-FORCE®/Z-WING™/TANK™



**5-YEAR/500-HOUR LIMITED WARRANTY\***  
Covers the frame and pivoting cast-iron front axle. 1000/1500/2500/3000/i1000/RZT/Z-FORCE®/Z-WING™/TANK™



**PIVOTING FRONT AXLE** Follows the contours of the ground for superior cutting. 1000/1500/2500/3000/RZT/Z-FORCE®/Z-WING™/TANK™



**RevTEK™ REVERSE MOWING TECHNOLOGY** When conditions permit, you can go from forward to reverse caution mode using a simple, two-step process. 1000/1500/2500

**SMART SYSTEM MONITOR** Easy-to-read dashboard monitoring helps to ensure that your lawn tractor is running smoothly. Allows you to monitor oil pressure, the battery and more. 1000/1500/2500/3000



**UNIQUE STEERABLE PIVOTING FRONT AXLE** For tighter turning and better ground-following for a smoother cut. i1000



## i1000 SERIES TIME SAVER™ TRACTORS 12

WHAT'S INSIDE



### LAWN TRACTORS

1000 SERIES	4
1500 SERIES	6
2500 SERIES	8
3000 SERIES	10



### ZERO TURN RIDERS

RZT-42	14
Z-FORCE®	16
Z-WING™	18
TANK™	20
M72-CAT	22
TANK™	



### ACCESSORIES 24

COMPATIBILITY TABLE

### SPECIFICATIONS 25




## **1000 SERIES** LAWN TRACTORS

---

**WE BUILT A LOT INTO IT.  
YOU'LL GET A LOT  
OUT OF IT.**

# 1000





## 1000 SERIES LAWN TRACTORS



### MAKE IT EASIER

When you want a solid lawn tractor for your money, it doesn't get any easier than the 1000 Series Lawn Tractors. With features like the SmartJet™ deck wash system and RevTEK™ reverse mowing technology, mowing is easier than ever. And when you look at features like a powerful Kohler® engine and the ever reliable HydroGear™ transmission, it is easy to see why buying a 1000 Series Lawn Tractor is such a smart decision.



**KOHLER**  
ENGINES

Shown with optional catcher

107CM (42") & 117CM (46") DECKS • ACCURATE, EASY-TO-READ FUEL GAUGE  
• 4-BOLT AUTOMOTIVE-STYLE WHEEL HUBS • FRONT BUMPER

#### PREMIUM KOHLER® ENGINES

EXTENDED DURABILITY THAT QUIETLY GOES ABOUT ITS BUSINESS

#### SERVICEABLE HYDROSTATIC TRANSMISSION



EASY-TO-USE, OPERATES MORE EFFICIENTLY AND COOLER. OIL DRAIN ALLOWS YOU TO CHANGE TRANSMISSION OIL SO IT LASTS LONGER

#### PATENTED SMARTJET™ DECK WASH SYSTEM

ATTACH YOUR HOSE DIRECTLY TO THE DECK TO WASH AWAY CLIPPINGS AND PROLONG DECK LIFE

#### AUTOMOTIVE-STYLE REAR AXLE

A TOUGH-BUILT LAWN TRACTOR USES TOUGH PARTS. WE USE FOUR-BOLT WHEEL HUBS FOR ADDED DURABILITY AND EASE OF MAINTENANCE



**CAST-IRON FRONT AXLE**  
THE HEAVIEST IN ITS CLASS



IT ALSO PIVOTS, ADJUSTING TO THE CONTOUR OF THE TERRAIN.

**TOUGH AND READY.  
FOR WHATEVER YOU'VE GOT.**





# 1500 SERIES SUPER LAWN TRACTOR

# 1500

## MAKE IT TOUGHER

If you want to get tough, you need to get a SLT1554 Super Lawn Tractor. The SLT1554 is built with the toughest, most durable parts. That includes everything from large tyres to a heavy-duty front bumper. Plus, a heavy-duty 12-gauge steel frame and steel fenders make the SLT1554 tough to beat.

**KOHLER**  
ENGINES

138CM (54") DECK • PREMIUM KOHLER® ENGINE • 12-VOLT ADAPTER • GREASEABLE SPINDLE BEARINGS  
• AUTOMOTIVE-STYLE HOOD • HEAVY-DUTY BUMPER • LARGER TYRES

### LARGER TYRES

PROVIDE A GREATER LEVEL OF STABILITY AND MORE TRACTION



### AUTOMOTIVE-STYLE HOOD


SERVICING THE ENGINE IS EASIER THANKS TO THE MORE ACCESSIBLE FRONT-OPENING HOOD



### PATENTED SMARTJET™

#### DECK WASH SYSTEM

ATTACH YOUR HOSE DIRECTLY TO THE DECK TO WASH AWAY CLIPPINGS AND PROLONG DECK LIFE



### 27HP\* PREMIUM KOHLER®

#### V-TWIN OHV ENGINE

DURABLE, QUIET OPERATION WITH THE POWER YOU NEED FOR REALLY TOUGH JOBS

\*as rated by engine manufacturer



### SERVICEABLE HYDROSTATIC TRANSMISSION

EASIER TO USE AND OPERATES MORE EFFICIENTLY AND COOLER. OIL DRAIN ALLOWS YOU TO CHANGE TRANSMISSION OIL SO IT LASTS LONGER. LOWER GEAR REDUCTION PROVIDES ADDED TORQUE FOR UNEVEN TERRAIN



**A HARD WORKER.  
AN EASY RIDER.**





## 2500 SERIES HEAVY-DUTY GARDEN TRACTORS

# 2500

**KOHLER**  
ENGINES



### GET MORE POWER

With the bigger, more comfortable 2500 Series Garden Tractor, heavy-duty is its middle name. And pure performance is what it delivers, thanks to Cub Cadet's® exclusive Powershaft™ drive, the powerful direct-drive shaft that provides a more efficient transfer of power to the rear transaxle. No belts to slip, stretch or break. Just power where and when you need it. Plus, the comfort and convenience you want.

112CM (44") & 127CM (50") DECKS • TAPERED ROLLER BEARINGS ON DECK SPINDLES WITH GREASE FITTINGS  
• HIGH-IMPACT RESISTANT ABS HOOD • 12-VOLT ADAPTER • HEAVY-DUTY BUMPER



#### DELUXE ULTRA-HIGH-BACK SEAT

MAKE YOURSELF COMFORTABLE WITH THIS EASILY ADJUSTABLE SEAT THAT FEATURES A DRAIN HOLE AND ADJUSTABLE ARM RESTS



#### FENDER CONSOLE/ 12V ADAPTER

GIVES YOU THE ULTIMATE CONVENIENCE OF HANDY STORAGE AND MAKES YOUR TRACTOR A PORTABLE POWER SUPPLY



#### PREMIUM KOHLER® COMMAND® V-TWIN OHV HORIZONTAL ENGINE

CAST-IRON CYLINDER SLEEVES, HYDRAULIC VALVE LIFTERS AND FULL-PRESSURE LUBRICATION FOR COMMERCIAL-GRADE POWER




#### PATENTED SMARTJET™ DECK WASH SYSTEM

ATTACH YOUR HOSE DIRECTLY TO THE DECK TO WASH AWAY CLIPPINGS AND PROLONG DECK LIFE

#### CAST-IRON TRANSMISSION

ENJOY LONGER LIFE AND ENHANCED PERFORMANCE FROM THE FULLY SERVICEABLE TRANSMISSION



**WHAT'S THE BIG IDEA?  
POWER & PERFORMANCE**





## 3000 SERIES HEAVY-DUTY PREMIUM GARDEN TRACTOR

# 3000

### TOUGHER AND SMARTER

You can't get any tougher than the 3235 Heavy-Duty Garden Tractor. Features like a 9-gauge welded-steel frame and a cast-iron front axle, stand up to the toughest terrain. Plus, power steering makes it easy to operate the mower on all types of terrain. That's smarter. That's tougher.



**KOHLER**  
ENGINES

- CHOICE OF 138CM (54") OR 152CM (60") DECKS OPERATE IN GROUND-FOLLOWING AND SUSPENDED POSITIONS
- FULLY SERVICEABLE TRANSMISSION WITH SPIN-ON OIL FILTER • VACUUM-ACTUATED POWER TAKE OFF • ALL-STEEL HOOD
  - POWER STEERING • DIFFERENTIAL LOCK



#### POWERSHAFT™ DRIVE

STEEL DIRECT-DRIVE SHAFTS DELIVER POWER FROM THE ENGINE DIRECTLY TO THE TRANSMISSION AND DECK. CHOICE OF 138CM (54") OR 152CM (60") DECKS


#### HYDRAULIC LIFT

PROVIDES SMOOTH, EASY OPERATION OF DECK LIFT

#### 25HP\* PREMIUM KOHLER® COMMAND® V-TWIN OHV HORIZONTAL ENGINE

CAST-IRON CYLINDER SLEEVES, AUTOMOTIVE-STYLE AIR FILTER AND FULL-PRESSURE LUBRICATION

\*as rated by engine manufacturer



#### 9-GAUGE WELDED STEEL FRAME

FULL-LENGTH TWIN C-CHANNEL CONSTRUCTION ABSORBS STRESS AND ADDS DURABILITY FOR LONGER LIFE



## **i1000 SERIES TIME SAVER™ TRACTOR**

**CUTS ON HILLS  
AND HELPS YOU  
TRIM TIME.**



**UNIQUE STEERABLE  
PIVOTING FRONT AXLE**  
FOR TIGHTER TURNING AND  
BETTER GROUND-FOLLOWING  
FOR A SMOOTHER CUT



## i1000 SERIES TIME SAVER™ TRACTOR



### SIMPLY BETTER

The unique design of the i1046 means you get the attachment capability of a traditional tractor and the time-saving benefit of a zero-turn rider. That means you can get your lawn done faster so you can get on with life. Plus, the i1046 is engineered and built to take on hills with ease. After all, the world isn't flat. And neither is your yard.

**KOHLER**  
ENGINES

**Time Saver**  
SERIES

117CM (46") TRIPLE BLADE DECK • SPRING-ASSISTED, SINGLE LEVER DECK LIFT • REVTEK™ REVERSE MOWING TECHNOLOGY  
• DUAL TRANSMISSION • PADDED FOOT RESTS • WIDE-TRACK FRONT AXLE • 20HP\* KOHLER® V-TWIN OHV ENGINE

#### SYNCHRO TECHNOLOGY™

SYNCHRONISES FRONT WHEEL STEERING WITH THE SPEED AND DIRECTION OF THE REAR WHEELS SO THAT YOU FINISH FASTER



#### HIGH BACK SEAT

ADJUSTS TO ANY OPERATOR. PROVIDES SUPERIOR SUPPORT AND COMFORT



#### 36CM (14") SOFT-TOUCH STEERING WHEEL

EASY-TO-USE AND COMFORTABLE DESIGN ALLOWS FOR CLEAR VIEW OF INSTRUMENT CONTROLS



#### DUAL TRANSMISSION

PROVIDES INDEPENDENT CONTROL OF REAR WHEELS FOR 360° TURNING



**SYNCHRO TECHNOLOGY™, A WIDE TRACK AND A LOW CENTRE OF GRAVITY** PROVIDE EXTRA TRACTION AND STABILITY TO MOW A STRAIGHT LINE ON HILLS AND INCLINES



\*as rated by engine manufacturer



## RZT RESIDENTIAL ZERO-TURN RIDER

**WANT IT DONE FASTER?  
TAKE THIS FOR A SPIN.**

# RZT



### **DUAL TRANSMISSIONS**

UTILISES THE FULL POTENTIAL OF BOTH THE ENGINE AND THE TRANSMISSION. NO HOSES BETWEEN PUMP AND MOTOR ALLOWS MORE POWER FOR THE DECK



## RZT-42 RESIDENTIAL ZERO-TURN RIDER



### EASIER AND QUICKER

If you want to save more time, it's time to get a Zero-Turn Rider. The RZT-42 allows you to mow up to 50% faster on complex landscapes. Mowing around trees and landscaping is a breeze. Dual-lever steering arms let you control each wheel with precise movements and less effort. You'll wish you bought one a long time ago!

**KOHLER**  
ENGINES

107CM (42") TWIN BLADE DECK • PIVOTING FRONT AXLE • EXCLUSIVE OIL EXPANSION TANK PROMOTES LONGER TRANSMISSION LIFE  
• ANTI-SCALPING WHEELS • ADJUSTABLE OPERATOR SEAT

#### PIVOTING FRONT AXLE AND FLOATING DECK

FOLLOW THE CONTOURS OF THE GROUND FOR GREATER COMFORT AND A SMOOTHER CUT



#### HIGH BACK SEAT

GET MORE COMFORT AND BETTER BACK SUPPORT WITH THIS ERGONOMICALLY DESIGNED HIGH-BACK SEAT



#### PREMIUM 17HP\* KOHLER® ENGINE

BUILT FOR LONGER LIFE, EXTENDED DURABILITY AND QUIET PERFORMANCE



\*as rated by engine manufacturer

**OPTIONAL TWIN BAG CATCHER**  
THE RZT42 BAGS WITHOUT FAN ASSIST, MAKING OUR DOUBLE BAGGER LESS EXPENSIVE AND LESS COMPLICATED



**GET MORE PERFORMANCE  
AND CUT IN LESS TIME.**





## Z-FORCE® ZERO-TURN HEAVY-DUTY RIDER

# Z-FORCE®

### MOW JUST LIKE THE PROS

Our Zero-Turn Riders feature the durability and quality of a commercial-grade rider, as well as the versatility of a residential rider. The Z-Force® has 360° turning capability so it means you will spend less time cutting and more time doing the things you like to do. In addition to saving you time, this rider offers a very comfortable ride with features like front caster wheels, pivoting front axle and a high-back seat with armrests. All this, plus a fully welded box steel frame, large fuel tank and dual-lever steering controls that let you manoeuvre and steer precisely.



**KOHLER  
ENGINES**

112CM (44") SIDE DISCHARGE DECK • 20HP\* KOHLER® COMMAND® V-TWIN OHV ENGINE • 19 LITRE FUEL TANK • ANTI-SCALPING WHEELS  
• PIVOTING FRONT AXLE AND SEMI-FLOATING DECK • ADJUSTABLE SEAT AND STEERING LEVERS  
• OPTIONAL TWIN BAG CATCHER AND MULCH KIT



**PIVOTING FRONT AXLE AND FLOATING DECK**  
FOLLOW THE CONTOURS OF THE GROUND FOR SUPERIOR CUTTING, GIVING YOU A SMOOTHER LOOKING LAWN



**PREMIUM KOHLER®  
COMMAND® ENGINE**  
QUIET, RELIABLE  
PERFORMANCE FROM AN  
ENGINE DESIGNED FOR  
LONGER LIFE



**ACCESSORIES**  
ARMRESTS ARE NOW  
STANDARD. OPTIONAL TWIN  
BAG CATCHER AND MULCH  
KIT AVAILABLE

\*as rated by engine manufacturer

## BIG IDEAS COME FROM THINKING NARROW.

Powered by a 23HP\* Kohler® Command® engine for rugged reliability.

\*as rated by engine manufacturer

The Z-Wing deck is fitted with retractable wings for ease of transportation and storage. Reduces width of the unit from 150cm (59") to 91cm (36").

Dual 19 litre fuel tanks feature easily accessible shutoff valves and built-in channels to divert spills away from the engine.

The electrically operated folding mechanism makes folding up the wings as simple as flicking a switch.




Two anti-scalping wheels and rollers in the front and back work in conjunction with the Command Cut System™ to give the turf a professional look.

The controls are conveniently located on the seat base for ease of operation.

# Z-WING™ 48



## Z-WING™ 48 ZERO-TURN RIDER



### RETRACTABLE WINGS

REDUCES THE OVERALL WIDTH OF THE UNIT FROM 150CM (59") TO 91CM (36") FOR EASE OF TRANSPORTATION AND STORAGE [CUTTING WIDTH IS 122CM (48")]. DOES NOT CUT IN TRANSPORT MODE

## LEANER AND MEANER

The Z-Wing™ 48 Zero-Turn Rider goes where other riders can't, like tight spots, narrow gates and openings. The electrically operated mechanism makes reducing the overall width of the unit from 150cm (59") to 91cm (36") as simple as flicking a switch [cutting width is 122cm (48")]. It is ideal for transportation and storage, not to mention getting through really tight spaces. Not just adaptable but powerful too with a premium Kohler® engine to help you get the job done quicker.

**KOHLER**  
ENGINES

122CM (48") SIDE DISCHARGE DECK, RETRACTING TO 91CM (36") FOR TRANSPORT AND STORAGE • TWIN PUMPS AND WHEEL MOTORS ARE MORE DURABLE AND PROVIDE SMOOTHER OPERATION • EXCLUSIVE HOUR METER/TACHOMETER INFORMS OPERATOR OF NEED FOR REGULAR MAINTENANCE



### FRONT AXLE

PIVOTS FOR BETTER GROUND-FOLLOWING AND CLEANER CUT. ALSO GIVES THE OPERATOR A MORE COMFORTABLE AND ENJOYABLE RIDE



### 23HP\* KOHLER® COMMAND® ENGINE

DELIVERS THE POWER, DURABILITY AND CONFIDENCE TO GET THE JOB DONE

\*as rated by engine manufacturer



### CUTTING HEIGHT


IS ADJUSTABLE IN 6.3MM (1/4") INCREMENTS. CUTTING HEIGHTS CAN BE ADJUSTED FROM 38MM (1 1/2") TO 100MM (4")



### LAP BARS

ADJUST THREE WAYS TO ACCOMMODATE ANY SIZE

**HYDRO-GEAR® PUMPS AND WHITE® WHEEL MOTORS** PROVEN AND DEPENDABLE. THEY ALLOW FOR A COOLER OPERATING TEMPERATURE SO YOU GET MORE POWER AND DURABILITY



Note: shown with optional arm rests

**THERE'S NOTHING SOFT  
ABOUT THE TANK™.  
EXCEPT THE SEAT.**

Speeds up to 19kph on the  
M72-KWLC TANK™ let you get  
the job done faster.

Lap bars adjust three ways for  
individual fit and greater comfort. Lap  
bars automatically return to neutral for  
optimal operator safety.

Large capacity dual fuel tanks  
keep you going longer for a more  
efficient workday.

Belt covers are made of  
checker plate steel for rugged  
durability and can easily be  
removed by releasing rubber  
latches for easy maintenance.

Raise and lower the deck with  
the foot-controlled pedal or  
the hand lever.

Articulating front axle pivots for better ground  
following and a cleaner cut. Axle can be locked  
with no tools required.

A range of machines  
are available:

- M60-KW
- M60-KH
- M72-KWLC

# THE TANK™



## THE TANK™ ZERO-TURN RIDER



### BUILT TOUGHER AND WIDER

Our fleet of Tank™ Riding Mowers are built tougher, beginning with a 7-gauge steel skirt fortified with heavy solid-steel reinforcements. The Tank™ has a rugged, fabricated cutting deck with heavy-duty blades for durability and long life. All this, plus an extra-wide track for superior stability and handling.

# SOLID

**Kawasaki**  
Engines

**KOHLER**  
Engines

• **M60-KW:** 25HP\* KAWASAKI® V-TWIN OHV ENGINE AND A 152CM (60") SIDE DISCHARGE DECK • **M60-KH:** 27HP\* KOHLER® V-TWIN OHV ENGINE AND A 152CM (60") SIDE DISCHARGE DECK • **M72-KWLC:** 29HP\* KAWASAKI® DFI V-TWIN OHV LIQUID-COOLED ENGINE AND A 183CM (72") SIDE DISCHARGE DECK • SPEEDS UP TO 19KPH (ON THE M72-KWLC) • ADJUSTABLE SEAT



**A RANGE OF ENGINES TO SUIT YOUR NEEDS**  
AVAILABLE AS A 25HP\* KAWASAKI®, 27HP\* KOHLER® OR 29HP\* KAWASAKI® ENGINE

\*as rated by engine manufacturer



**LAP BARS**  
ADJUSTABLE TO ACCOMMODATE ALL OPERATORS AND MAKES THE TANK™ ONE OF THE EASIEST ZERO-TURN RIDERS TO USE



**COMMERCIAL AIR FILTRATION SYSTEM**  
KEEPS DIRT AND DEBRIS AWAY FROM THE ENGINE FOR EXTENDED LIFE

**ARTICULATING FRONT AXLE**  
PIVOTS FOR BETTER GROUND FOLLOWING AND A CLEANER CUT. AXLE CAN BE LOCKED WITH NO TOOLS REQUIRED TO PREVENT PIVOTING AND TO PROVIDE GREATER STABILITY

\*as rated by engine manufacturer





**M72-CAT TANK™ ZERO-TURN RIDER**

---

**INCREDIBLY TOUGH.  
REMARKABLY  
COMFORTABLE.**

# M72-CAT TANK™



## M72-CAT TANK™ ZERO-TURN RIDER



### THE BEST JUST GOT BETTER

When you're up against a really big lawn, arm yourself with a M72-CAT Tank™.

The combination of a larger 183cm (72") deck, twin fuel tanks, and time-saving zero-turn manoeuvrability will give you a quick victory every time. And with really rugged features like the fully welded steel frame, cast-iron pulleys and greaseable spindles, the M72-CAT Tank™ really is built like a tank.



- 28HP\* CATERPILLAR® LIQUID COOLED 3-CYLINDER OHV DIESEL ENGINE • 183CM (72") FLOATING/FABRICATED DECK
- DUAL 26.5 LITRE (TOTAL 53 LITRES) FUEL TANKS • 3-WAY ADJUSTABLE LAP BARS



**PROFESSIONAL GRADE CATERPILLAR® ENGINE**  
PROFESSIONAL GRADE 28HP\* CATERPILLAR® LIQUID-COOLED 3-CYLINDER OHV DIESEL ENGINE

\*as rated by engine manufacturer



**LAP BARS**  
ADJUSTABLE TO ACCOMMODATE ALL OPERATORS AND MAKES THE TANK™ ONE OF THE EASIEST ZERO-TURN RIDERS TO USE



**STANDARD OPERATOR PROTECTIVE SYSTEM AND EXTRAS FOR GREATER COMFORT**

STANDARD OPERATOR PROTECTIVE SYSTEM INCLUDES ROLLOVER PROTECTION SYSTEM (ROPS), SEAT BELT AND BRUSH GUARD FOR GREATER SAFETY. CANOPY AND STANDARD ADJUSTABLE ARMRESTS ON SEAT FOR GREATER OPERATOR COMFORT

**ANTI-SCALP WHEELS AND ROLLERS**  
FOUR ANTI-SCALP WHEELS AND ROLLERS IN THE FRONT AND BACK WORK IN CONJUNCTION WITH THE COMMAND CUT SYSTEM™ TO GIVE THE TURF A PROFESSIONAL FINISH.



\*as rated by engine manufacturer

## RIDE ON ACCESSORIES



## FOR THOSE WHO WANT MORE

Our lawn tractors can do so much more than mow. That's why we have a complete line of attachments and accessories, each designed to make your tractor more versatile, more useful and more powerful.



### Bumper Kit

Provides added front-end protection when manoeuvring around trees, buildings and fences. Fits most Cub Cadet® Lawn Tractors and is standard with the SLT1554, GT2544, GT2550 & the i1046.

### Lawn Aerator

Allows seed, fertilizer, air and water to reach deep into the lawn's roots to help keep your lawn lush and green.

### Collection System

Recycle clippings as compost using our twin or triple baggers.

### Broadcast Spreader

Easily and evenly spreads anything from fertiliser to seed across your lawn.

### Lawn Sweeper

Remove leaves, twigs and grass clippings in a hurry.

### Poly Trailer/Wheelbarrow

Easily haul everything in your garden in either tow (trailer) or push mode (wheelbarrow).

### Utility Trailer

To easily haul everything in your garden, from mulch to debris.

## ACCESSORY COMPATIBILITY

Accessories	LT1042	LT1046	SLT1554	GT2544	GT2550	3235	i1046	RZT42	Z-Force®	Z-Wing™ 48	The Tank™	M72-CAT Tank™
10 cu. ft. trailer	•	•	•	•	•	•	•					
Spreader	•	•	•	•	•	•	•					
Aerator	•	•	•	•	•	•	•					
Arm Rests				STD	STD				STD	•	STD	STD
Front Bumper	•	•	STD	STD	STD		STD					
Mulch Kit	STD	STD	•	STD	•	•	STD	•	•	•	•*	
Sweeper	•	•	•	•	•	•	•					
Twin Bagger	•	•					•	•	•			
Triple Bagger			•	•	•	•					•**	

\*• is optional or "STD" is standard

\*available on 60" deck only \*\*dumper style catcher



# 1000 & 1500 SERIES LAWN & SUPER LAWN TRACTORS

ENGINE	LT 1042	LT 1046	SLT 1554
Engine type	19HP* Kohler® Courage™ OHV	23HP* Kohler® V-Twin OHV	27HP* Kohler® V-Twin OHV
Cylinders/material	1/cast-iron sleeve		2/cast-iron sleeve
Lubrication	Fully pressurised automotive-style oil pump w/spin-on oil filter		
DRIVE SYSTEM			
Drive system	Heavy-duty hydrostatic with oil drain port for long service life		
Engine to transmission	Heavy-duty Kevlar® belt for long service life		
Cruise control	Standard		
Rear axle diameter	19mm (¾") with dual steel wheel drive hubs		
Rear wheel	Steel wheels with 4 bolt automotive-style wheel nut mounting for long service life		
Transmission housing	Die-cast aluminium		
STEERING			
Steering	Manual sector & pinion		
Front axle	Heavy-duty cast-iron w/dual grease fittings		
Spindles	19mm (¾") with grease fittings		
Ball joints	2 automotive-style		
Turning radius	46cm (18")	46cm (18")	53cm (21")
CHASSIS			
Chassis type	Robotically welded-steel frame assembly		
Frame	Heavy-duty 12-gauge steel		
Hood & grill	Corrosion & dent-resistant high-impact ABS	Premium, rear pivoting hood with automotive-like front hood latch moulded from corrosion & dent-resistant high-impact ABS	
Fender & bumper	Steel fender with twin rear fender flares w/grab handles / Welded stamped steel bumper assembly		
ELECTRICAL SYSTEM			
Alternator	15 amp. regulated		
Battery voltage capacity	12V/heavy-duty 190 cold crank amp.	12V/heavy-duty 235 cold crank amp.	
Charging system	Flywheel alternator		
Headlights	Standard		
System monitor package	Digital hour meter, oil pressure indicator, battery voltage monitor, park brake & PTO start sequence LEDs		
Safety systems	Neutral start, operator presence, reverse safety switch, brake pedal lock, RevTEK™		
OPERATION			
PTO clutch	Fingertip electronic engagement		
Deck lift	Manual/6-position	Manual/6-position/spring-assisted	
Brakes	Automotive-style disc brake		
Seat	Medium-back seat, 6-position fingertip adjustment mechanism		
ADDITIONAL SPECIFICATIONS			
Front tyres	15 x 6.00-6		
Rear tyres	20 x 10.00-8	22 x 10.00-8	
Forward speeds	0 to 8kph		
Reverse speeds	0 to 4kph		
Fuel tank	13 litres easy fill, large opening, rustproof		
Engine oil	1.5 litres	1.9 litres	1.8 litres
Transmission oil	1.9 litres		
Wheelbase	116cm (46")		
Overall length	173cm (68")		
Estimated weight (w/deck)	225kg	233kg	257kg
MOWER DECK			
Cutting width/blades	107cm (42") heavy-duty twin blades	117cm (46") heavy-duty triple blades	138cm (54") heavy-duty triple blades
Cutting height	38mm (1.5") - 101mm (4")		
Mower deck construction	13-gauge steel	12-gauge steel	
Mower drive system	Heavy-duty Kevlar® belt for long service life		
Anti-Scalping	4 wheels	4 wheels, 1 roller (front)	
Mulch Kit	Standard	Optional	
Deck spindles	Die-cast aluminium spindle housings w/sealed ball bearings		
Deck pulleys	All steel with heavy-duty bearings		
Deck attach/removal	Quick Attach™ in seconds, no tools required		
Deck wash	Patented Smart Jet™ high-pressure deck washing system		
WARRANTY**			
5 year or 500 hour limited warranty, whichever occurs first, for the frame & pivoting cast-iron front axle on all new Cub Cadet® machines. Only available to residential users.			

\*As rated by engine manufacturer

\*\*For complete details on 2-year and 5-year limited warranties, see your Cub Cadet® dealer.

Specifications subject to change without notice.

## 2500 & 3000 SERIES GARDEN TRACTORS

ENGINE	GT 2544	GT 2550	GT 3235
Engine type	20HP* Kohler® Command® V-Twin OHV	21HP* Kohler® Command® V-Twin OHV	25HP* Kohler® Command® V-Twin OHV
Cylinders/material	2/cast iron sleeve		
Lubrication	Fully pressurised automotive-style oil pump w/spin-on oil filter		
DRIVE SYSTEM			
Drive system	Heavy-duty hydrostatic with oil drain port for long service life		
Engine to transmission	Heavy-duty shaft drive, no belts to stretch, slip or replace		
Cruise control	Standard		
Differential lock	n/a		
Rear axle diameter	25mm (1”) diameter with dual steel wheel drive hubs		30mm (1.18”) diameter with dual steel wheel drive hubs
Rear wheel	Steel wheels with 4-bolt automotive-style wheel nut mounting for longer service life		
Transmission housing	Heavy-duty cast-iron		
STEERING			
Steering	Manual sector & pinion encased in cast-iron steering box w/dual grease fittings for a long service life		Power steering with 7-position tilt
Front axle	Heavy-duty cast-iron with dual grease fittings		
Spindles	19mm (¾”) w/grease fittings		25mm (1”) with grease fittings
Ball joints	2 automotive-style		4 automotive-style
Turning radius	51cm (20”)		69cm (27”)
CHASSIS			
Chassis type	Fully robotically welded twin C-Channel steel frame assembly		
Frame	Heavy-duty 11-gauge steel, twin channels		Heavy-duty 9-gauge steel, twin channels
Hood & grill	High-impact resistant ABS Hood		Exclusive all-steel hood, grill & dual side panels
Fender & bumper	Steel fender		Steel fender with hydraulic control cover
ELECTRICAL SYSTEM			
Alternator	15 amp. regulated		
Battery voltage capacity	12V/heavy-duty 275 cold crank amp.		12V/heavy-duty 435 cold crank amp.
Charging system	Flywheel alternator		
Headlights	Standard		
System monitor package	Digital hour meter, oil pressure indicator, battery voltage monitor, park brake & PTO start sequence LEDs		
Safety systems	Neutral start, operator presence, reverse safety switch, brake pedal lock, RevTEK™		Neutral start, operator presence, reverse safety switch, brake pedal lock
OPERATION			
PTO clutch	Fingertip electronic engagement		Fingertip E-Vac engagement for smooth operation of cutting deck
Deck lift	Manual 6-position / spring assist		Fingertip control hydraulic lift
Brakes	Automotive-style disc brakes		
Seat	Deluxe high-back seat with arm-rests, 6-position fingertip adjustment mechanism		Deluxe ultra-high-back seat, automotive-style 6-position fingertip adjustment slide mechanism with 13cm (5”) seat travel
ADDITIONAL SPECIFICATIONS			
Front tyres	16 x 6.50-8		16 x 7.50-8
Rear tyres	23 x 9.50-12		24 x 10.50-12
Forward speeds	0 - 9kph		0 - 13kph
Reverse speeds	0 - 5.6kph		0 - 6.4kph
Fuel tank	8.5 litres, easy fill, large opening, rustproof		20 litres, large opening, rustproof
Engine oil	1.9 litres		
Transmission oil	5.3 litres		5.6 litres
Wheelbase	119cm (47”)		126cm (49.5”)
Overall length	183cm (72”)		188cm (74”)
Estimated weight (w/deck)	363kg	381kg	• 137cm (54”) Deck - 488kg • 152cm (60”) Deck - 499kg
MOWER DECK			
Cutting width/blades	112cm (44”) heavy-duty triple-blades	127cm (50”) heavy-duty triple-blades	137cm (54”) or 152cm (60”) heavy-duty triple-blades
Cutting height	38mm (1.5”) - 101mm (4”)		38mm (1.5”) - 114mm (4.5”)
Mower deck construction	11-gauge steel	12-gauge steel	• 137cm (54”) - 11-gauge steel • 152cm (60”) - 11-gauge steel
Mower drive system	Heavy-duty Kevlar® belt		Heavy-duty shaft driven
Anti-Scalping	4 wheels, 1 roller (front)		Heavy-duty wheels with casters & grease fittings
Mulch Kit	Standard	Optional	Optional - 137cm (54”) deck only
Deck Spindles	Die-cast aluminium spindle housings with tapered roller bearings & grease fittings for longer life		
Deck pulleys	All steel with heavy-duty bearings		
Deck attach/removal	QuickAttach™ in seconds, no tools required		
Deck wash	Patented Smart Jet™ high-pressure deck washing system		n/a
WARRANTY			
5 year or 500 hour limited warranty, whichever occurs first, for the frame & pivoting cast-iron front axle on all new Cub Cadet® machines. Only available to residential users.			

\*As rated by engine manufacturer

\*\*For complete details on 2-year and 5-year limited warranties, see your Cub Cadet® dealer.

**Specifications subject to change without notice.**



# ZERO TURN LAWN TRACTORS

ENGINE	i1046	RZT 42	Z-Force	Z-Wing 48	Tank	M72-CAT Tank
Engine type	20HP* Kohler® V-Twin OHV	17HP* Kohler® OHV Single-Cylinder	20HP* Kohler® Command® V-Twin OHV	23HP* Kohler® Command® V-Twin OHV	•M60-KW: 25HP* Kawasaki® V-Twin OHV Engine •M60-KH: 27HP* Kohler® V-Twin OHV Engine •M72-KWLC: 29HP* Kawasaki® DFI V-Twin OHV Liquid Cooled engine	•28HP* Caterpillar® Liquid-Cooled OHV Diesel
Cylinders	2	1	2	2	2	3
Lubrication	Fully pressurised automotive-style oil pump w/spin-on oil filter		Full pressure w/spin-on oil filter			
DRIVE SYSTEM						
Transmission	Dual HydroGear™ EZT		Dual HydroGear™ IZT	Hydro-Gear™ BDP-10 pumps & White® wheel motors	Dual Hydro-Gear™ BDP-12A pumps & Parker® wheel motors	
STEERING						
Steering	Zero-Turn	2-way adjustable lap bars			3-way adjustable lap bars	
Front wheel bearings	Polycarbonate NSB-90		Bronze	Timken® roller, greaseable		
Turning radius	Zero					
CHASSIS						
Frame	Heavy-duty 12-gauge steel	Fully welded stamped steel	38 mm (1.5") box fully welded steel	Fully welded 50mm (2") square tubing		
Front axle	Pivoting cast-iron w/4 grease fittings	Fabricated - pivoting, greaseable	Steel - pivoting, greaseable		Pivoting, fixed	
ELECTRICAL SYSTEM						
Battery voltage capacity	12V/235 cold crank amp.	235 cold crank amp.	275 cold crank amp.	n/a	n/a	n/a
Safety systems	Neutral start, operator presence, reverse safety switch, brake pedal lock, RevTEK™		Operator presence			
OPERATION						
PTO clutch	Electronic fingertip engagement		Pull/push electronic engagement	Electronic fingertip engagement		
Deck lift	Manual/6-position w/spring assist	Handle/lever spring-assisted			Foot pedal - spring assist	
Seat	High-back, 6-position w/spring assist	High-back, lever adjustable	High-back with arm rests, lever adjustable	High-back, lever adjustable	Deluxe high-back with arm rests, lever adjustable	
Hour meter	N/A			Standard		
ADDITIONAL SPECIFICATIONS						
Front tyres	15 x 6.00 w/ball bearings		11 x 4.00-5		13 x 6.50-6	
Rear tyres	20 x 8.00	18 x 6.50-8	18 x 8.50-8	21 x 7.00-10	24 x 12.00-12	
Forward speeds	0 - 10kph	0 - 9kph	0 - 11kph	0 - 13kph	0 - 19kph	
Reverse speeds	0 - 5kph		0 - 6kph	0 - 6kph	0 - 8kph	
Fuel tank	10.6 litres	11 litres	19 litres	Twin 19 litre tanks (Total 38 litres)	Twin 26.5 litre tanks (Total 53 litres)	
Wheelbase	121cm (47.5")	110cm (43.5")	109cm (43")	114cm (45")	122cm (48")	130cm (51")
Overall length	175cm (69")	170cm (67")	178cm (70")	182cm (71.5")	•M60-KW/M60-KH: 198cm (78") •M72-KWLC: 206cm (81")	206cm (81")
Estimated weight (w/deck)	250kg	218kg	273kg	353kg	•M60-KW/M60-KH: 485kg •M72-KWLC: 601kg	690kg
MOWER DECK						
Cutting width/blades	117cm (46") triple blades	107cm (42") twin blades 3-in-1	112cm (44") triple blades	122cm (48") Command Cut System™, retracts to 91cm (36")	•M60-KW/M60-KH: 152cm (60") •M72-KWLC: 183cm (72")	183cm (72")
Cutting height	32mm (1.25") - 95mm (3.75")	6-position height adjustment, 38mm (1.5") - 101mm (4")		38mm (1.5") - 101mm (4")	38mm (1.5") -127mm (5")	
Deck construction	12-gauge steel	13-gauge, floating, stamped	12-gauge, floating, stamped	10-gauge top, 7-gauge sides	•M60-KW/M60-KH: 10-gauge top, 7-gauge sides •M72-KWLC: 9-gauge top, 7-gauge sides	9-gauge top, 7-gauge sides
Anti-Scalping	Standard	2 wheels, greaseable	4 adjustable gauge wheels, greaseable, front roller	2 front wheels, greaseable, rollers front & rear	•M60-KW/M60-KH: 4 standard, greaseable •M72-KWLC: 6 standard, greaseable	6 standard, greaseable
Deck wash	Patented Smart Jet™ high-pressure deck washing system			No		
Accessories	Optional mulch kit, optional catcher kit			Optional mulch kit	Optional mulch kit - optional catcher kit - 152cm (60") only	
WARRANTY						
5 year or 500 hour limited warranty, whichever occurs first, for the frame and pivoting cast-iron front axle on all New Cub Cadet® machines. Only available to residential users.						

\*As rated by engine manufacturer

\*\*For complete details on 2-year and 5-year limited warranties, see your Cub Cadet® dealer.

Specifications subject to change without notice.



*Cub Cadet.*  
YOU CAN'T GET ANY BETTER™.

MTD Products Australia Pty. Ltd. ABN 96 004 873 572 • 6 Zenith Road, Dandenong South, VIC 3175  
• Ph: (03) 9791 8555 • Fax: (03) 9794 7798

This brochure is for advertisement purposes only. The product depictions are not meant to be used or relied upon as a substitute for the safety and use information that is published in the respective operator's manual. Before operating the machine, read, understand and follow all instructions in the manual and on the machine.

Specifications subject to change without notice. Images may not reflect dealer inventory and/or unit specifications. 01/09